

FIG. 1




FIG. 2a




FIG. 2b





FIG. 4




FIG. 5




FIG. 6

OS ROLE	OPERATING SYSTEM, AGENT
APP ROLE	WEB SERVER, APPLN SERVER
CONTENT ROLE	HTML, JSP, GIF, JPEG

FIG. 7




FIG. 8




FIG. 9A




FIG. 9B

85

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Bundles

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > Bundle Information

MANAGE BUNDLES

Bundle Information for...

Choose the "Bundle Name" carefully. Naming conventions are not being enforced at this time.

Name:

Type:

Platform:

This Description:

87

Next-> Cancel

FIG. 9C




FIG. 9D




FIG. 9E

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Bundles

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > Bundle Information

MANAGE BUNDLES

Bundle Information for Customer A

Name: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC

New Version Number: 2

Type: Application

Platform: SunOS 5.7

Previous Description: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC oracle8i-8.1.6-LC~0.sparc64.rpm v1 (Package)
oracccount-1.0-LC~0.sparc64.rpm v1 (Package) orajdbc-12_01-LC~0.sparc64.rpm v1 (Package)
orajre-1.1.7-LC~0.sparc64.rpm v1 (Package) oraenv-1.0-LC~0.sparc64.rpm v1 (Package)

This Description: Oracle 8.1.6 Client w/o tnsauto, w/ JDBC
oracle8i-8.1.6-LC~0.sparc64.rpm v1 (Package)
oracccount-1.0-LC~0.sparc64.rpm v1 (Package)
orajdbc-12_01-LC~0.sparc64.rpm v1 (Package)
orajre-1.1.7-LC~0.sparc64.rpm v1 (Package)
oraenv-1.0-LC~0.sparc64.rpm v1 (Package)

Next-> Cancel

FIG. 9F




FIG. 9G




FIG. 9H

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Bundles](#)

[Home](#) > [Select a Customer](#) > [Manage Bundles](#) > Bundle Information

MANAGE BUNDLES

Bundle Information for...

Name:

New Version Number:

Type:

Platform:

Previous Description: oracle 8.1.6 bundle + rpm to create so tnsnames.ora etc are set up correctly.

This Description:

FIG. 9I

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Bundles

Home > [Select a Customer](#) > [Manage Bundles](#) > Set Bundle Status

SET BUNDLE STATUS

Narrow OS Platform to:

Deprecate/Activate Bundles

Active Bundles

Customer Additional Accounts & Subdoers v1
oracle 8.1.6 client v1
oracle client 8.1.6 w/out tnsauto w/jdbc v1
App Instance Customization v1
App Instance Customization v2
CDT_1_0 fix v1
Customer Accounts & Subdoers v1
Customer Accounts w/o Subdoers v1
Customer Additional Accounts & Subdoers v1
Phase 2 - Web Server Config v1
Web Instance customization v1
Web Instance customization v2
CE Accounts v1
iPlanet 4.1 w/ JDK 1.2.2_05a v1

Deprecate >>

<< Activate

Deprecated Bundles

FIG. 9J




FIG. 9K




FIG. 10A




FIG. 10B

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Roles

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > Roles List

MANAGE ROLES

Narrow OS Platform to:

List of Available Application Roles for Customer A

[Beta] Production v1	▲
[Beta] Migration-.01 - Staging v1	
Apache 1.3.12 + Weblogic 5.1 SP5 Connector Prod v1	
Apache 1.3.12 + Weblogic 5.1 SP5 Connector Staging v1	
Apache 1.3.12 + Weblogics 5.1 SP4 Connector v1	
Apache 1.3.12 + Weblogics 5.1 SP4 Connector v2	
Apache 1.3.12WL5.1 sp4 v1	
Apache 1.3.12WL5.1 sp4 v2	
ATG5.0 OracleClient 8.1.6 v1	
ATG5.0 sp1 Oracle 8.1.6 v1	▼

[\[Deprecate/Activate Roles\]](#) | [\[View Deprecated Roles List\]](#)

FIG. 10C

The screenshot shows a web browser window with a title bar containing minimize, maximize, and close buttons. The main content area has a header with the text "Read/Write on xxxx.xxxxxx | [Sign out](#)". Below the header is a navigation bar with the text "Manage Roles". A breadcrumb trail is displayed as "Home > Manage Roles > Role Type - service > Roles List > Role Information". The main content area is titled "MANAGE ROLES" and contains the section "Role Information for...". Below this section is a message: "Choose the 'Role Name' carefully. Naming conventions are not being enforced at this time." The form includes the following fields: "Name:" with a text input field; "Platform:" with a dropdown menu showing "Select Platform"; "Service:" with a dropdown menu showing "Select Service" (labeled with reference numeral 124); and "Description:" with a large text area. The interface also features a vertical scrollbar on the right side of the main content area.

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Roles

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > Role Information

MANAGE ROLES

Role Information for...

Choose the "Role Name" carefully. Naming conventions are not being enforced at this time.

Name:

Platform:

Service: 124

Description:

FIG. 10D




FIG. 10E

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Roles](#)

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > Role Information

MANAGE ROLES

Role Information for...

Name: Apache1.3.12WL5.1sp4

New Version Number: 3

Type: Application

Platform: Linux 6.1

Service: WEB

Previous Description: Added customer log rotation

Description: Added customer log rotation

[Next->](#) [Cancel](#)

FIG. 10F




FIG. 10G

Read/Write on xxxx.xxxxxx | [Sign out](#)

[Manage Roles](#)

[Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > Set Role Status

SET ROLE STATUS

Narrow OS Platform to:

Deprecate/Activate *service* Roles

Active Roles		Deprecated Roles
[Beta] Migration 1.01 Production v1	<input type="button" value="Deprecate >>"/> <input type="button" value="<< Activate"/>	v1
[Beta] Migration 1.01 Staging v1		Master 1.2 v1
Apache 1.3.12 + Weblogic 5.1 SP5 Connector Prod v1		Replication Hub
Apache 1.3.12 + Weblogic 5.1 SP5 Connector Staging v1		Server v1
Apache 1.3.12 + Weblogic 5.1 SP4 Connector v1		Clustered Oracle 8.1.
Apache 1.3.12 + Weblogic 5.1 SP4 Connector v2		C
Apache 1.3.12WL5.1 sp4-v1		C
Apache 1.3.12WL5.1 sp4 v2		C
ATG5.0 OracleClient 8.1.6 v1		C
ATG5.0 sp1 Oracle 8.1.6 v1		C
ATG_DCS_5.0_SP1_OracleClient_8.1.6 v1		C
ATG_DCS_5.0_SP1_OracleClient_8.1.6 v2		C
Backup Master Server v1		C
Backup Media Server v1		C

FIG. 10H




FIG. 10I

The screenshot shows a web browser window with a title bar containing minimize, maximize, and close buttons. The main content area has a header with the text "Read/Write on xxxx.xxxxxx | [Sign out](#)". Below this is a section titled "Manage Roles" with a breadcrumb navigation path: [Home](#) > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > [Role Information](#).

The central part of the interface is a form titled "MANAGE ROLES" with a sub-header "Role Information for...". The form contains the following fields and controls:

- Name:** A text input field containing "Apache1.3.12WL5.1sp4".
- New Version Number:** A text input field containing "2".
- Type:** A text label "Application".
- Platform:** A text label "Linux 6.1".
- Service:** A dropdown menu with "WEB" selected.
- Customer:** A dropdown menu.
- Previous Description:** A text label "Added customer log rotation".
- Description:** A large text area containing "Added customer log rotation".

At the bottom right of the form are two buttons: "Commit" and "Cancel".

FIG. 10J

Read/Write on xxxx.xxxxxx | [Sign out](#)

Manage Roles

Home > [Manage Roles](#) > [Role Type - service](#) > [Roles List](#) > View Role

VIEW ROLES

View Role: *Apache1.3.12WL5.1sp4 v1*

Application Role ID: 1390000

Role Details

Name = Apache1.3.12WL5.1sp4

Version = 1

Customer Name = N/A

Type = Application

Platform = Linux 6.1

Service = WEB

Description = Apache1.3.12WL5.1sp4

Status = ACTIVE

+[Apache1.3.12 v1 \(Bundle\)](#)

[-apachessl-1.3.1 0.i386.rpm v1 \(Package\)](#)

[-weblogic_apache_plugin_51sp4- i386.rpm v1 \(Package\)](#)

<-Back

Create New Version

Edit

Edit Name/Description

FIG. 10K




FIG. 10L




FIG. 11A




FIG. 11B

The screenshot displays a web application interface with a title bar and standard window controls. The main content area is divided into several sections:

- Top Bar:** Contains the text "Read/Write on xxxx.xxxxxx | [Sign out](#)".
- Breadcrumbs:** Shows "Other: Dependencies" and "Home > Dependencies".
- Form Fields:** Includes a "Type:" label, an "Element:" label, and a dropdown menu labeled "Application Roles" with the selected value "Apache1.3.12WL5.1sp4 v2 (ACTIVE)".
- View Role Section:** A box titled "View role: Apache1.3.12WL5.1sp4 v2" containing:
 - Application Role ID:** 1750000
 - Actions:** [Edit](#) and [Deprecate](#)
 - Role Details:**
 - Name = Apache1.3.12WL5.1sp4
 - Version = 2
 - Customer Name =
 - Type = Application
 - Platform = Linux 6.1
 - Service = WEB
 - Description = Added customer log rotation
 - Status = ACTIVE
 - Dependencies:**
 - Apache1.3.12 (Bundle)
 - customer log rotation (Linux 6.1) (Bundle)
- Devices Table:** A table with columns: Hostname, IP Address, Customer, DataCenter, and EffBegDt. It lists three entries with placeholder hostnames and dates from 10/07/2000 to 11/07/2000.

The interface includes a scrollbar on the right and a status bar at the bottom showing "1 to 3 of 3".

FIG. 11C